


OXVA



xlim **SQ**  
**PRO**

USER MANUAL

## PRODUCT STRUCTURE



## SPECIFICATIONS

Size:	77*54.4*20.4mm
Capacity:	2 ml
Screen:	0.96 inch TFT
Output Voltage:	3.2-4.2V
Battery Type:	Built-in 1200mAh
Charging:	Type-C 5V/2A

## JUICE FILLING



## TIPS

1. After filling the e-juice into a new cartridge, please wait for at least 5~8 minutes before vaping to avoid dryburning
2. After filling the juice, please close as soon as possible to avoid leaking.

## INSTRUCTIONS

1. Turn on/off: Press the fire button over 5 times in 2s to turn it on/off.
2. Vaping: While the device is on, press the fire button or draw to vape. The device will stop working when the vaping is longer than 8s due to safety protection.
3. Options: Press the button twice within 1.5 seconds to enter the secondary interface. Press the button once to select different options, and long-press the button to confirm the selected option.




4. Adjust Output: Press the fire button 3 times in 2s to adjust your prefer wattage.
5. Lock/Unlock: Press the fire button 4 times in 2s to lock/unlock the fire button.
6. PROMPT MESSAGE  
LOCKED: The fire button locked, press 4 times to unlock.  
TIME OUT: Vaping over 8s and stop working.  
HIGH TEMP: Tempture too high and stop working.  
Low Battery: Voltage under 3.2V and stop working  
Short Circuit: Heating wire short circuit and stop working  
NO POD: Please check the connection between pod and device

## ATTENTION

- \* Please keep away from inflammable and explosive materials to avoid injury.
- \* Please don't leave the device unattended while charging.

## STRUCTURE DU PRODUIT



## SPÉCIFICATIONS DU PRODUIT

Tamaño:	77*54.4*20.4mm
Capacidad:	2 ml
Pantalla:	TFT de 0,96 pulgadas
Tensión de salida:	3.2-4.2V
Batería:	1200 mAh
Cargar:	Tipo-C 5V/2A

## JUS DE REMPLISSAGE



## ASTUCES

1. Aprs avoir rempli le jus lectronique dans une nouvelle cartouche, veuillez attendre au moins 5~8 minutes avant de vaporiser pour éviter de brûler sec.
2. Aprs avoir rempli le jus, veuillez fermer le bouchon en silicone des que possible pour éviter les fuites.

# INSTRUCTIONS

1. Allumez : Appuyez sur le bouton "fire" 5 fois en 2s pour l'allumer.
2. Vaping : Lorsque l'appareil est allumé, appuyez sur le bouton d'allumage pour fumer. Il sera forcé d'arrêter de fonctionner si le vapotage dure plus de 8 secondes en raison d'une protection de sécurité.
3. Options : Appuyez deux fois sur le bouton en 1,5 seconde pour accéder à l'interface secondaire. Appuyez une fois sur le bouton pour sélectionner différentes options et appuyez longuement sur le bouton pour confirmer l'option sélectionnée.



4. Ajustez la sortie : appuyez sur le bouton de tir 3 fois en 2 secondes pour régler votre puissance préférée.
5. Verrouiller/déverrouiller : appuyez sur le bouton de tir 4 fois en 2 secondes pour verrouiller/déverrouiller le bouton de tir.
6. message d'invite

## VERROUILLÉ :

Le bouton de tir est verrouillé, appuyez 4 fois pour déverrouiller

TIME OUT : vapoter plus de 8 s et arrêter de travailler

HAUTE TEMP : température trop élevée et arrêt du travail

Batterie faible : tension inférieure à 3,2 V et arrêt de fonctionnement

Court-circuit: court-circuit du fil chauffant et arrêt de travail

PAS DE POD : veuillez vérifier la connexion entre le pod et l'appareil

## ATTENTION

- \* Tenir loin des produits inflammables ou matériaux explosifs pour éviter toutes blessures .
- \* Veuillez ne pas laisser l'appareil sans surveillance pendant le chargement.



Facebook:  
@oxva.official



Instagram:  
@oxva.official



[www.oxva.com](http://www.oxva.com)

